

JACKSON®

SAFETY Brand



NEW PRODUCTS CATALOG



Be Smart. Be Safe. Be Sure.

Be Smart.

Be Safe.

Be Sure.





TABLE OF CONTENTS

| | |
|-----------------------------------|-------|
| SAFETY GLASSES | 4-7 |
| 370 SPEED DIAL | 8 |
| HARD HAT INTERCHANGE SYSTEM | 9 |
| MAXVIEW | 10-11 |
| QUAD 500 | 12-15 |
| F4XP | 16-17 |
| GPL500 | 18-19 |
| TRANSLIGHT+ 555 | 20-23 |
| TRANSLIGHT 455 FLIP | 24-27 |
| REBEL | 28-31 |
| ADFs | 32-35 |
| WELDING CURTAIN & BLANKETS | 38-47 |

LEGENDARY STYLE & PERFORMANCE!

NEW!



JACKSON[®] SG SAFETY GLASSES—PREMIUM

JACKSON[®] SG Series Safety Glasses

- Introducing the all new JACKSON[®] SG series, a premium eye protection product offering outstanding fit, comfort, protection, style, and durability
- Specially designed to offer maximum eye coverage and protection, incorporating a variety of lens shades and coatings
- Made with premium virgin polycarbonate high impact, optically correct wrap style lenses, providing 99.9% UV protection
- Soft temples are curved inwards from front to back to ensure a super comfortable, slip-resistant fit
- As an added advantage, the temple tips are extremely flexible, further ensuring a snug fit while relieving any undue pressure to the user—these glasses are extremely comfortable and stay on during use!
- Frames have been developed using a specially formulated ultra-flexible, ultra-strong base material that provides incredible durability, significantly reducing breakage—check and compare!
- The lightweight frame includes a soft non-allergic nose pad for maximum comfort and fit
- Each safety glass comes complete with a convenient neck strap—no more misplaced or lost glasses!
- All models meet or exceed **ANSI Z87.1+ high impact** standards
- Models 50000, 50001, 50002, 50004, 50006, 50010, 50040, 50041, 50042 are **CSA certified to CAN/CSA Z94.3 standards**
- Models 50000, 50002, 50004, 50005, 50006, 50008, 50009, 50010, 50040, 50041, 50042 **CE certified**
- Available in three styles—framed, framed polarized, and frameless



Extreme Flexibility and Strength for Maximum Durability and Life!

SAFETY GLASSES—PREMIUM SERIES

NEW!

JACKSON[®]
SAFETY Brand

JACKSON[®] SG Series Safety Glasses—Framed

| PRODUCT NO. | Frame Color | Lens Color | Lens Coating | Pack Qty. | Case Qty. |
|-------------|-------------|----------------|-----------------------|-----------|-----------|
| 50000 | Black | Clear | Hardcoat Anti-Scratch | 12/Box | 144 |
| 50001 | Black | Clear | Anti-Fog | 12/Box | 144 |
| 50002 | Black | Amber | Hardcoat Anti-Scratch | 12/Box | 144 |
| 50003 | Black | Amber | Anti-Fog | 12/Box | 144 |
| 50004 | Black | Indoor/Outdoor | Hardcoat Anti-Scratch | 12/Box | 144 |
| 50005 | Black | Blue Shield | Hardcoat Anti-Scratch | 12/Box | 144 |
| 50006 | Black | Smoke Mirror | Hardcoat Anti-Scratch | 12/Box | 144 |
| 50007 | Black | Smoke Mirror | Anti-Fog | 12/Box | 144 |
| 50009 | Black | Blue Mirror | Hardcoat Anti-Scratch | 12/Box | 144 |
| 50011 | Blue | Light Blue | Hardcoat Anti-Scratch | 12/Box | 144 |
| 50012 | Camo | Clear | Anti-Fog | 12/Box | 144 |
| 50013 | Camo | Amber | Anti-Fog | 12/Box | 144 |
| 50014 | Camo | Bronze | Hardcoat Anti-Scratch | 12/Box | 144 |
| 50015 | Camo | Smoke | Hardcoat Anti-Scratch | 12/Box | 144 |
| 50016 | Red | Smoke | Hardcoat Anti-Scratch | 12/Box | 144 |



50000



50002



50006



50012





50010

JACKSON® SG INFRARED

- Safeguards workers from “welder’s flash”
- For use with torch soldering, brazing and cutting

| PRODUCT NO. | Frame Color | Lens Color | Lens Coating | Pack Qty. | Case Qty. |
|-------------|-------------|------------|-----------------------|-----------|-----------|
| 50008 | Black | IR 3.0 | Hardcoat Anti-Scratch | 12/Box | 144 |
| 50010 | Black | IR 5.0 | Hardcoat Anti-Scratch | 12/Box | 144 |



50040

JACKSON® SG READERS

- Ideal for those who need reading glasses and impact protection at the same time

| PRODUCT NO. | Frame Color | Lens Color | Lens Coating | Reader Strength | Pack Qty. | Case Qty. |
|-------------|-------------|------------|-----------------------|-----------------|-----------|-----------|
| 50040 | Black | Clear | Hardcoat Anti-Scratch | 1.5 | 12/Box | 144 |
| 50041 | Black | Clear | Hardcoat Anti-Scratch | 2.0 | 12/Box | 144 |
| 50042 | Black | Clear | Hardcoat Anti-Scratch | 2.5 | 12/Box | 144 |



50017

JACKSON® SG+ Series Polarized Safety Glasses—Framed

- These glasses incorporate all of the same outstanding features of the JACKSON® SG Series but offer the added advantage of polarized lenses for ultimate viewing in bright conditions

| PRODUCT NO. | Frame Color | Lens Color | Lens Coating | Pack Qty. | Case Qty. |
|-------------|-------------|------------|-----------------------|-----------|-----------|
| 50017 | Brown | Brown | Hardcoat Anti-Scratch | 12/Box | 144 |
| 50018 | Gunmetal | Smoke | Hardcoat Anti-Scratch | 12/Box | 144 |





JACKSON® SGf Series Safety Glasses—Frameless

- Includes the same outstanding features as the Jackson SG but made with a frameless design for lighter weight and edge-to-edge vision

| PRODUCT NO. | Frame Color | Lens Color | Lens Coating | Pack Qty. | Case Qty. |
|-------------|-------------|----------------|-----------------------|-----------|-----------|
| 50025 | Gunmetal | Clear | Hardcoat Anti-Scratch | 12/Box | 144 |
| 50026 | Gunmetal | Clear | Anti-Fog | 12/Box | 144 |
| 50027 | Gunmetal | Indoor/Outdoor | Hardcoat Anti-Scratch | 12/Box | 144 |
| 50028 | Gunmetal | Smoke | Hardcoat Anti-Scratch | 12/Box | 144 |
| 50029 | Gunmetal | Blue Mirror | Hardcoat Anti-Scratch | 12/Box | 144 |
| 50030 | Gunmetal | IR 5.0 | Hardcoat Anti-Scratch | 12/Box | 144 |
| 50031 | Camo | Bronze | Hardcoat Anti-Scratch | 12/Box | 144 |



50028



50031



The World's Greatest Ratcheting Headgear System—Period!

Our patented Jackson Safety® 370 Speed Dial™ offers the fastest, easiest, and most efficient ratcheting headgear system in the industry today! The 370 Speed Dial™ incorporates two unique designs—an oversized ratcheting adjuster knob, and a patented "quick-fit" rear headband that swivels up and down. Together, these two features combine to achieve a perfect fit every time, increasing safety, productivity and satisfaction. Try any of our industry-leading Jackson Safety® products that incorporate our famous 370 Speed Dial™ and experience the difference yourself!



EXCLUSIVE!

Hard Hat Interchange System

The All-In-One Safety Solution. Injuries can happen in a split second. Now it's easy to stay protected with the Jackson Safety® Hard Hat Interchange System. It lets you add, remove, or switch between your face shield or welding helmet, all without removing your head protection.

In accordance with ANSI Z87.1, the system was designed to protect against multiple combinations of hazards. Remain safe, productive, and compliant with the Hard Hat Interchange System. It's worker preferred and safety manager enforced.

- Quickly switch between face shields and welding helmets without removing hard hats
- Meets ANSI standards when PPE products are used separately or combined
- Hear the audible click—Know your PPE is assembled correctly without the need for visual inspection
- One-button action provides quick release
- Vertical lock-in eliminates the annoyance of helmet creep
- HHIS headgear system comes fully assembled and ready to use
- Made from lightweight polypropylene
- Dielectric—Keeps your hard hat Class E rated!

| | CODE | Description | Case Count |
|---|--------------|--|------------|
|  | 39477 | HHIS Master Kit contains all components necessary to mount welding helmets and face shields to your hard hat | 6 |
|  | 38423 | Replacement HHIS kits for 14225/14235/14238 QUAD 500™ | 6 |
|  | 38424 | Replacement HHIS kits for 14202/14203 MAXVIEW™ and 14260/14262 F4XP | 6 |
|  | 38425 | HHIS Face Shield Kit contains all components necessary to mount face shields to your hard hat | 6 |
|  | 38426 | HHIS Welding Helmet Kit contains all components necessary to mount welding helmets to your hard hat | 6 |
|  | 39476 | Replacement mounting brackets for SC-6 series hard hats | 6 |

Look for the Hard Hat Interchange System (HHIS) on these new Jackson products:



MAXVIEW™



14202, 14203

Quad 500™



14225, 14235, 14238



HHIS Mounting Brackets

HHIS Mounting Blades

JACKSON®
SAFETY Brand



It's as Easy as 1, 2, 3!

1



Attach HHIS hard hat mounting bracket (with exclusive quick release button) to cap style slotted hard hat.

2



Attach HHIS hard hat mounting blades to any Jackson face shield or welding helmet product.

3



Pushing the HHIS quick release button allows fast and easy attachment/removal of face protection without ever removing your hard hat!



MAXVIEW™ FACE SHIELDS— PREMIUM

NEW!

Maxview™ Face Shield System

- Jackson Safety® introduces the all new Maxview face shield, a premium face protection product
- The Maxview is designed to offer maximum face protection coverage, incorporating an extra-large clear polycarbonate window that is available in two options: without anti-fog treatment or with our premium Sta-Clear® anti-fog coating
- The high-impact PC window is then framed on the side and chin areas and features an extra-large crown
- This combination translates into maximum coverage, head to lower neck, and side to side. In fact, Maxview offers a full 1" of extra window protection on each side (2" total) versus the leading face shield model, ensuring best-in-class protection and exceptional panoramic views. Check and compare!
- Given its amazing coverage and viewing area, the Maxview is incredibly light
- Maxview incorporates engineered detents that lock in both the up and down positions
- Designed to be used with most goggles, respirators, and all safety glasses
- Two available mounting options:
 - Complete with Jackson Safety's premium 370 Speed Dial™ ratcheting headgear suspension
 - For mounting on slotted hard hats, assembled with Jackson Safety's exclusive HHIS slot adaptors

Featuring the exclusive Jackson Safety® 370 Speed Dial™ ratcheting headgear system!

- The Maxview face shield features the Jackson Safety® 370 Speed Dial™ ratcheting headgear system—an industry best!
- The 370 Speed Dial™ is highlighted by Jackson's famous "Easy Grab-Easy Turn" oversized adjusting dial and patented swivel adjuster band, achieving maximum comfort and fit quickly, easily, and conveniently—saves time, increases productivity, and improves worker safety!



- All models meet or exceed **ANSI Z87.1+ high impact** standards
- Models 14200, 14201 **CSA certified to CAN/CSA Z94.3** standards
- Models 14200, 14201 **CE certified**

**Hard Hat
Interchange
system available**



FACE SHIELDS—PREMIUM

Maxview™ Series—Crown, Window, and 370 Speed Dial™ Ratcheting Headgear

- Face shield comes with:
 - Extra-large stylish crown and wraparound face shield frame
 - High-impact polycarbonate window (with or without anti-fog)
 - 370 Speed Dial™ premium ratcheting headgear suspension



| PRODUCT NO. | Crown | Suspension | Window | Coatings | Chin & Side Guard | Case Qty. |
|-------------|-------|------------|--------|----------|-------------------|-----------|
| 14200 | Black | Ratcheting | Clear | None | Yes | 4 |
| 14201 | Black | Ratcheting | Clear | Anti-Fog | Yes | 4 |



14200/14201

Maxview™ Series—Crown, Window, and HHIS Universal Hard Hat Slot Adaptor

- Face shield comes with:
 - Extra-large stylish crown and wraparound face shield frame
 - High-impact polycarbonate window (with or without anti-fog)
 - Exclusive Jackson Safety® HHIS universal slot hard hat adaptor
 - Fits most slotted hard hats



| PRODUCT NO. | Crown | Suspension | Window | Coatings | Chin & Side Guard | Case Qty. |
|-------------|-------|-------------------|--------|----------|-------------------|-----------|
| 14202 | Black | Universal Adaptor | Clear | None | Yes | 4 |
| 14203 | Black | Universal Adaptor | Clear | Anti-Fog | Yes | 4 |



14202/14203

Maxview™ Series Replacement Windows and Parts

| PRODUCT NO. | Description | Fits Models | Case Qty. |
|-------------|-------------------------------------|--------------------|-----------|
| 14214 | Clear replacement window | All Maxview Models | 36 |
| 14215 | Clear replacement window—Anti-fog | All Maxview Models | 36 |
| 20695 | 370 Speed Dial replacement headgear | 14200, 14201 | 12 |
| 38424 | HHIS Face Shield Hard Hat Adaptor | 14202, 14203 | 6 |



14214, 14215

38424



20695



A JACKSON EXCLUSIVE!







QUAD 500™ FACE SHIELDS— SUPREME MULTI-PURPOSE

NEW!

Quad 500™ Multi-Purpose Face Shield System

- Jackson Safety® introduces the all new Quad 500 multi-purpose face shield, our premium face protection product
- The Quad 500 offers an unparalleled range of face and eye protection solutions for almost every application including grinding, cutting, oxy/acetylene cutting, plasma cutting, and brazing
- All Quad 500 products have been designed to offer maximum above-the-neck face protection, including an extra-large molded polycarbonate window featuring our premium Sta-Clear® anti-fog coating
- For added protection, the molded window is completely framed on the sides and chin and features an extra-large crown
- The Quad 500 offers exceptional panoramic views with virtually no distortion

Featuring the exclusive Jackson Safety® 370 Speed Dial™ ratcheting headgear system!

- The Quad 500 features the Jackson Safety® 370 Speed Dial™ ratcheting headgear system—an industry best!
- The 370 Speed Dial™ is highlighted by Jackson’s famous “Easy Grab-Easy Turn” oversized adjusting dial and patented swivel adjuster band, achieving maximum comfort and fit quickly, easily, and conveniently—saves time, increases productivity, and improves worker safety!

Available with optional flip-up/flip-down extra-large IR window

- The Quad 500 face shield is also available with an exclusive, extra-large flip-up/flip-down IR window for added eye protection when used in applications producing infrared hazards
- It’s easy and safe—by keeping the Quad 500 clear window in the down position at all times, the operator can flip the IR shaded window up or down, providing uninterrupted face protection during cutting and grinding operations
- Flip windows available in:
 - **Shade 5 IR** for oxy/acetylene cutting, brazing, and plasma cutting
 - **Shade 8 IR** for oxy/acetylene welding and plasma cutting
- Both the clear and flip windows feature detents that lock in both the up and down positions
- Designed to be used with most goggles, respirators, and all safety glasses
- Two available mounting options:
 - Complete with Jackson Safety’s premium 370 Speed Dial™ ratcheting headgear suspension
 - For mounting on slotted hard hats, assembled with Jackson Safety’s exclusive HHIS slot adaptors
- All models meet or exceed **ANSI Z87.1+ high impact** standards
- Models 14220, 14230, 14233, 14235 **CSA certified to CAN/CSA Z94.3** standards
- Models 14220, 14230, 14233 **CE certified**

370[™]
SPEED DIAL



14230



FACE SHIELDS—SUPREME MULTI-PURPOSE



Quad 500™ Series—Crown, Window, and 370 Speed Dial™ Ratcheting Headgear

- Face shield comes with:
 - Stylish crown and wraparound face shield frame
 - Premium molded polycarbonate AF window
 - 370 Speed Dial™ premium ratcheting headgear suspension



| PRODUCT NO. | Crown | Suspension | Window | Coatings | Chin & Side Guard | Case Qty. |
|--------------|-------|------------|--------|----------|-------------------|-----------|
| 14220 | Black | Ratcheting | Clear | Anti-fog | Yes | 4 |



14220

Quad 500™ Series—Crown, Window, and HHIS Universal Hard Hat Slot Adaptor

- Face shield comes with:
 - Stylish crown and wraparound face shield frame
 - Premium molded polycarbonate AF window
 - Exclusive Jackson Safety® HHIS universal slot hard hat adaptor
 - Fits most slotted hard hats



| PRODUCT NO. | Crown | Suspension | Window | Coatings | Chin & Side Guard | Case Qty. |
|--------------|-------|-------------------|--------|----------|-------------------|-----------|
| 14225 | Black | Universal Adaptor | Clear | Anti-Fog | Yes | 4 |



14225

Quad 500™ Series—c/w Flip-Up IR Window and 370 Speed Dial™ Ratcheting Headgear

- Multi-purpose face shield comes with:
 - Stylish crown and wraparound face shield frame
 - Premium molded polycarbonate AF window
 - Extra-large flip-up/flip-down IR visor
 - 370 Speed Dial™ premium ratcheting headgear suspension



| PRODUCT NO. | Crown | Suspension | Window | Coatings | Flip Visor | Chin & Side Guard | Case Qty. |
|--------------|-------|------------|--------|----------|------------|-------------------|-----------|
| 14230 | Black | Ratcheting | Clear | Anti-Fog | Shade 5 IR | Yes | 4 |
| 14233 | Black | Ratcheting | Clear | Anti-Fog | Shade 8 IR | Yes | 4 |



14230/14233

Quad 500™ Series—c/w Flip-Up IR Window and HHIS Universal Hard Hat Slot Adaptor

- Multi-purpose face shield comes with:
 - Stylish crown and wraparound face shield frame
 - Premium molded polycarbonate AF window
 - Extra-large flip-up/flip-down IR visor
 - Exclusive Jackson Safety® HHIS universal slot hard hat adaptor
 - Fits most slotted hard hats



| PRODUCT NO. | Crown | Suspension | Window | Coatings | Flip Visor | Chin & Side Guard | Case Qty. |
|--------------|-------|-------------------|--------|----------|------------|-------------------|-----------|
| 14235 | Black | Universal Adaptor | Clear | Anti-Fog | Shade 5 IR | Yes | 4 |
| 14238 | Black | Universal Adaptor | Clear | Anti-Fog | Shade 8 IR | Yes | 4 |



14235 / 14238

Quad 500™ Series Replacement Windows and Parts

| PRODUCT NO. | Description | Fits Models | Case Qty. |
|--------------|---|---------------------|-----------|
| 14250 | 8.58" x 8.24" x .060" Clear Anti-Fog Window | All Quad 500 Models | 12 |
| 14255 | 4.375" x 9.25" x .070" Shade 5 IR Visor | All Quad 500 Models | 12 |
| 14258 | 4.375" x 9.25" x .070" Shade 8 IR Visor | All Quad 500 Models | 12 |
| 20694 | 370 Face Shield Headgear | 14220, 14230, 14233 | 12 |
| 38423 | HHIS Face Shield Hard Hat Adaptor | 14225, 14235, 14238 | 12 |



14250



14255/14258



20694



38423



A JACKSON EXCLUSIVE!



14262 (kit)

F4XP

F4XP Premium Crown and 370 Speed Dial™ Ratcheting Headgear

- Jackson Safety® introduces the all new F4XP face shield crown and headgear, a premium face protection product
- The F4XP has been specially designed to offer maximum protection, ease of use, and extreme comfort and fit
- The oversized crown is manufactured using premium, high impact-rated materials for optimum safety
- Features an exclusive quick removal mounting system, ensuring fast and easy (universal) window changes
- The F4XP is designed to mount all universal pattern face shield windows including the full range of Jackson Safety® windows (F10, F20, F30, F40, and F50), making it one of the most advanced and versatile face shield programs in the world!
- Comes standard with a soft fabric replaceable front sweatband for improved comfort
- All models meet or exceed **ANSI Z87.1+ high impact** standards
- Models 14260 is **CSA certified to CAN/CSA Z94.3** standards when used in conjunction with windows 29087, 29080, 29106, and 30706
- Models 14260, 14262 **CE certified**



Featuring the Exclusive Jackson Safety® 370 Speed Dial™ Ratcheting Headgear System

- The F4XP crown features the Jackson Safety® **370 Speed Dial** ratcheting headgear system— an industry best!
- The **370 Speed Dial** is highlighted by Jackson's famous "Easy Grab-Easy Turn" oversized adjusting dial and patented swivel adjuster band, achieving maximum comfort and fit quickly, easily, and conveniently—saves time, increases productivity, and improves worker safety!

FACE SHIELDS—CROWNS, HEADGEARS, AND WINDOW KITS (UNIVERSAL MOUNTS)

BEST

JACKSON
SAFETY Brand

F4XP Premium Crown, 370 Speed Dial Ratcheting Headgear and Window Kit

| PRODUCT NO. | Crown | Suspension | Window | Mounting Pattern | Case Qty. |
|-------------|-------|------------------------------------|--------------------------|-------------------------------|-----------|
| 14260 | Black | 370 Speed Dial Ratcheting Headgear | None | Universal Bracket Pin Pattern | 12 |
| 14262 (KIT) | Black | 370 Speed Dial Ratcheting Headgear | Clear 8" x 15.5" x .060" | Universal Bracket Pin Pattern | 12 |



14260 (Front)




14262 (kit)

F4XP Replacement Windows and Parts

| PRODUCT NO. | Description | Fits Models | Case Qty. |
|-------------|---|--------------|-----------|
| 20695 | 370 Speed Dial™ Ratcheting Headgear | 14260 | 12 |
| 29087 | 8 x 15.5" x .060" Clear Molded Replacement Window | 14260, 14262 | 12 |
| 38424 | HHIS Face Shield Hard Hat Adaptor (option) | 14260, 14262 | 6 |

F4XP Can be Used with Over 40 Jackson Windows



Oversized crown built with premium high impact rated material for maximum protection

For use with all universal pin pattern windows including over 30 Jackson models

Designed to offer maximum protection, ease-of-use, and extreme comfort and fit

(14262) F4XP Kit features premium 8" x 15.5" x .060" molded polycarbonate window (29087)

Exclusive quick-change install and removal system ensures fast and efficient window changes

NEW!

370
SPEED DIAL

Speed Dial 370™ headgear offers the fastest, easiest, and most efficient ratcheting headgear system in the industry

Hard Hat Interchange system available



14262



21001

GPL500 Premium Goggle

The GPL500 premium safety goggle with flip-up detachable face shield features an ultra-soft body design that easily conforms to your face to deliver a snug, yet comfortable seal. Indirect vents protect against chemical splash while anti-fog coating provides superior optical quality and keeps work uninterrupted.

- Flip-up/flip-down polycarbonate face shield delivers added protection from splash, dust, and flying debris
- Face shield is easily detachable
- Provides 99.9% UV protection
- Specially designed to fit over prescription eyewear
- Clear version is ideal for industrial, mining, construction, pressure washing, grinding and more
- Shade 3 and 5 IR are ideal for oxy/acetylene cutting, brazing, and plasma cutting operations
- Meets **ANSI Z87.1+ high impact** and models 21000, 21002 **CSA Certified to CAN/CSA Z94.3** standards

| PRODUCT NO. | Model Number | Body Color | Face Shield Color | Lens | Tint | Coatings | Case Qty. |
|-------------|--------------|------------|-------------------|--------|------------|----------|-----------|
| 21000 | GPL500 | Blue | Blue | Single | Clear | Anti-fog | 6 |
| 21001 | GPL530 | Green | Green | Single | Shade 3 IR | Anti-fog | 6 |
| 21002 | GPL550 | Green | Green | Single | Shade 5 IR | Anti-fog | 6 |



21000



21001 Shade 3



21002 Shade 5

Ultra-soft body design conforms to your face for superior comfort, fit and safety

Made with indirect vents for added protection from dust and chemical splash

Optically correct lens delivers an exceptional panoramic view

Extra wide flame-retardant strap is swivel mounted to goggle for easy positioning

Anti-fog coating keeps work uninterrupted

Flip-up detachable PC face shield for added protection

21000

JACKSON[®]
SAFETY Brand

A JACKSON EXCLUSIVE!





TRANSLIGHT™ + 555 PREMIUM LARGE VIEW ADF WELDING HELMET

The new Jackson Safety **Translight™ Series** contains our latest innovative welding helmet designs. We mix industry leading features with new advancements in technology to transcend the welding industry.



All Translight™ helmets come with our patented **370 Speed Dial™** ratcheting headgear system, to create the ultimate balance in comfort and functionality. The latest advancements in True Color technologies are included for optimum welding optics. Our Translight™ product line is packed with new features and improvements to keep workers safe and highly productive.



555 ADF

NEW!

46452 CE 3/5-8/9-14 SM 1/1/1/1 EN379 ANSI Z87.1-2015 CSA Z94.3-15

True Color

Highest rated optical clarity 1/1/1/1

World-class 1/25,000 sec. switching speed

Digital controls

Super lightweight ADF technology provides minimal strain on operator

External shade adjuster ±.2 shades

External grind button

DELAY CUT GRIND WELD SENS1 SHADE

Low battery

46452



ADF WELDING HELMETS—PREMIUM



Translight™ + 555 Premium Auto Darkening Helmets

NEW!

- Translight™ shell has a sleek modern design—a Jackson exclusive!
- Helmet is super lightweight and ergonomically balanced to reduce stress and fatigue
- Auto darkening filter meets 1/1/1/1 Optical Clarity Standard, the highest in the industry
- Includes an external grind button so end users can switch modes with ease
- Features the new external shade adjuster to help aid in visual focus
- The shade adjuster can finely tune shades up to ±1 full shade with .2 shade adjusting increments
- Welding, grinding, cutting, and carbon arc gouging can be performed with the versatile 555 ADF
- Includes patented **370 Speed Dial** ratcheting headgear system
- Advanced digital controls are a great quality-of-life enhancement for welders
- Switching speeds of 1/25,000 second
- Packaged in attractive, full-color POP box—case quantity 4
- Powered by solar technology and two CR2032 replacement batteries
- Touch pad controls allow quick and easy function selection
- Features integrated mag lens holder
- Industry leading 3/5–14 Shade range—allows use in high amp welding applications
- Meets or exceeds **ANSI Z87.1** and **CAN/CSA Z94.3** standards. **CE** certified



46250

| PRODUCT NO. | Filter Dimensions | Viewing Area | Shade Range | True Color | Modes | Optical Clarity | Switching Speed | Controls | ADF Weight | Total Weight | No. of Sensors | TIG Rating | Warranty |
|--------------|-------------------|---------------|-------------|------------|---------------------------------|-----------------|-----------------|----------|------------|--------------|----------------|------------|----------|
| 46250 | 5.25" x 4.5" | 3.86" x 3.23" | 3, 5 to 14 | Yes | CAG, welding, cutting, grinding | 1/1/1/1 | 1/25,000 sec. | Digital | 7.6 oz. | 1.35 lbs. | 4 | >3A | 3 years |

EXCLUSIVE!



| PRODUCT NO. | Description | Case Qty. |
|--------------|--|-----------|
| 46250 | Translight+ 555 ADF Helmet Complete | 4 |
| 46452 | Translight+ 555 Replacement ADF only | 10 |
| 46550 | Translight+ Replacement Shell—Black | 20 |
| 46915 | 555 Internal Safety Plate (Pack of 10) | 100 |
| 46925 | 555 External Safety Plate (Pack of 10) | 100 |
| 46995 | 555 Replacement Retainer | 10 |
| 20693 | Translight 555+ Replacement 370 Headgear | 6 |

Super lightweight and ergonomically balanced to reduce stress and fatigue

True Color ADF 1/1/1/1 rating; 4.25" x 5.25" filter size

Switching speeds of 1/25,000 sec

Four-sensor technology



12.47 sq. in. viewing area!

Designed for use with respirators

370 SPEED DIAL

Features Jackson Safety® premium 370 series Easy Grip-Easy Turn ratcheting mechanism—an industry best!

Convenient external grind mode button

External shade adjuster—finely tune shades up to ±1 full shade in .2 shade increments

46250





TRANSLIGHT™ 455 FLIP— PREMIUM FLIP ADF WELDING HELMET

Featuring the exclusive Jackson Safety® 370 Speed Dial™ ratcheting headgear system!

The Translight™ 455 Flip helmet delivers world-class grinding and welding with the flip of the lid. This super-lightweight helmet offers the ability to perform pre/post preparation work and welding operations in one versatile product. The combination of a robust welding helmet and oversized grinding visor (46 sq. in.) makes this unique system suitable for all metal fabrication applications.

We have also fitted the Translight™ 455 Flip with the highest rated 1/1/1/1 optical clarity filter for improved welding efficiency while reducing operator fatigue. Professional grade materials for professional grade welders.



True Color

Super lightweight ADF and shell technology ensures minimal operator strain and fatigue



455 ADF

NEW!



Best-in-class optical clarity 1/1/1/1

World-class 1/40,000 sec. switching speed

Combination of digital and analog controls

46442



ADF WELDING HELMETS—PREMIUM

Translight™ 455 Flip Auto Darkening Helmets

NEW!

- Translight™ 455 Flip welding helmet comes with an easy-to-use lift mechanism to raise up the welding ADF assembly, which exposes a clear face shield window for grinding and chipping operations, offering exceptional peripheral vision
- The Jackson Translight™ 455 Flip welding helmet features a modern, carefully designed sleek, ergonomic, and super-lightweight shell and ADF, ensuring maximum protection while providing optimal comfort and reduced operator stress and fatigue
- Auto darkening filter meets 1/1/1/1 Optical Clarity Standard, the highest in the industry
- The shell contains left-to-right tabs that allow easy raising and lowering of the flip module
- Welding, grinding, cutting, and carbon arc gouging can be performed with the versatile 455 welding helmet
- Includes patented **370 Speed Dial** ratcheting headgear system
- Switching speeds of 1/40,000 sec. are the quickest in the industry
- Low TIG amp rated >2 amps
- Powered by solar technology and two CR2032 replacement batteries
- Packaged in attractive, full-color POP box—case quantity 4
- Features integrated mag lens holder
- Meets or exceeds **ANSI Z87.1** and **CAN/CSA Z94.3** standards. **CE** certified

JACKSON
SAFETY Brand



46240

| PRODUCT NO. | Filter Dimensions | Viewing Area | Shade Range | True Color | Modes | Optical Clarity | Switching Speed | Controls | ADF Weight | Total Weight | No. of Sensors | TIG Rating | Warranty |
|--------------|-------------------|--------------|-------------|------------|---------------------------------|-----------------|-----------------|----------------|------------|--------------|----------------|------------|----------|
| 46240 | 90 x 110mm | 2.5" x 3.86" | 4, 5 to 13 | Yes | CAG, welding, cutting, grinding | 1/1/1/1 | 1/40,000 sec. | Digital/Analog | 4.1 oz. | 1.6 lbs. | 4 | >2A | 3 years |

EXCLUSIVE!



| PRODUCT NO. | Description | Case Qty. | PRODUCT NO. | Description | Case Qty. |
|--------------|--|-----------|--------------|---|-----------|
| 46240 | Translight 455 Flip Welding Helmet with ADF-Black | 4 | 46914 | Translight 455 Internal Safety Plate (Pack of 10) | 100 |
| 46442 | Translight 455 Flip Replacement ADF | 10 | 46923 | 455 External Safety Plate (Pack of 10) | 100 |
| 46540 | Translight 455 Flip Replacement Shell-Black | 20 | 46991 | 455 Flip Spring Mechanism Kit | 10 |
| 46640 | 455 Flip Face Shield Replacement Windows (Pack of 5) | 10 | 20693 | Translight 455 Flip Replacement 370 Headgear | 6 |

Super lightweight ADF and shell technology ensures minimal operator strain and fatigue

ADF controls are easily accessible when in the up position

Extra-large face shield—46 sq. inch

Superior peripheral vision

True Color ADF 1/1/1/1 rating

Convenient left and right tabs allow easy raising and lowering of the flip module

The ADF flip module has been specially designed to allow a completely unobstructed view when in the up position

9.65 sq. in. viewing area!

370 SPEED DIAL

Features Jackson Safety® premium 370 series Easy Grip-Easy Turn ratcheting mechanism—an industry best!

46240



ADF WELDING MASK—REBEL

Rebel™ ADF Welding/Goggle Mask—Digital

The all new, exclusive Jackson Safety® Rebel™ welding mask is a great addition to our welding program, incorporating modern ADF technology. The Rebel™ is a lightweight product designed to reduce neck strain. In addition, the Rebel is designed to fit under most hard hats, including Jackson's Charger, Sentry III, SC-6, Advantage Series, and Blockhead models without the need for adaptor brackets, making it extremely versatile.

- The Rebel features an exclusive, modern digital ADF control system
- Goggles are constructed with the face shield as one complete unit
- Complete protection from sparks and spatter risks to front of face when used with the fire-resistant hood
- The Rebel's close-fitting goggle protects against UV and IR rays when used with the fire-resistant hood
- Designed to fit over most prescription glasses—no cheater lenses required
- Features a replaceable clear outer lens for added ADF protection (46930—5 pack)
- Packaged in attractive, full-color POP box—case quantity 6
- No adapters needed to use with hard hats
- Low TIG amp rated >10A
- Battery life lasts up to 1,300 hours (batteries replaceable)
- Meets or exceeds **ANSI Z87.1** and **CAN/CSA Z94.3** standards. **CE** certified



46200



| PRODUCT NO. | Filter Dimensions | Viewing Area | Shade Range | True Color | Modes | Optical Clarity | Switching Speed | Controls | Weight | No. of Sensors | TIG Rating | Warranty |
|-------------|-------------------|---------------|-------------|------------|---------|-----------------|-----------------|----------|---------|----------------|------------|----------|
| 46200 | 2" x 4.25" | 1.38" x 3.54" | 3, 9 to 13 | Yes | Welding | 1/1/1/2 | 1/15,000 sec. | Digital | 8.8 oz. | 2 | >10A | 2 years |





ADF WELDING MASK—REBEL

| PRODUCT NO. | Description | Case Qty. |
|--------------|---|-----------|
| 46200 | Rebel ADF Digital Welding/Goggle Mask (Kit) | 6 |
| 46600 | Replacement Fire-Resistant Hood | 10 |
| 46930 | Rebel™ Replacement Lens Kit (Pack contains 5 External and 3 Internal Lenses) | 100 |



EXCLUSIVE!

JACKSON
SAFETY Brand



46600



46930





AUTO DARKENING FILTERS—2" x 4.25" REPLACEMENT (DROP-INS)




Replacement or "drop-in" ADFs are designed to fit most 2" x 4.25" welding helmets, including Jackson's popular HSL-1, HSL-2 and Huntsman Series, and the Sellstrom 280 and 290 Series. They are an economical replacement ADF filter, or an ideal method to upgrade passive welding helmets into an ADF format. Jackson introduces two new models, the exclusive Smartweld®, which incorporates a convenient USB-C rechargeable system and variable shade ranges from 4/9-13, and the more economical Solera® II offering a fixed 3/11 shade range. Both offer True Color technology and are TIG rated >5 amps. The best in the business—now from Jackson!

Smartweld Variable Shade ADF

- The Smartweld is a newly innovative product that can be recharged!
- ADF is compatible with a USB-C charger
- Charge time four hours
- Charge lasts approximately one month of usage (160 hours)
- TIG amp rated >5A
- Comes in attractive, ready-to-use color POP counter display—10 pieces/display
- Meets or exceeds **ANSI Z87.1** and **CAN/CSA Z94.3** standards. **CE** certified
- A Jackson Safety exclusive!

| PRODUCT NO. | Description | Case Qty. |
|--------------|---|-----------|
| 46411 | Smartweld ADF, USB-C Rechargeable, Shade 4/9-13, 2" x 4.25" | 10 |
| 46911 | Smartweld Internal Safety Plate, 2" x 4.25" | 100 |

| PRODUCT NO. | Filter Dimensions | Viewing Area | Shade Range | True Color | Modes | Optical Clarity | Switching Speed | Controls | Weight | No. of Sensors | TIG Rating | Warranty |
|--------------|-------------------|---------------|-------------|------------|---------|-----------------|-----------------|----------|---------|----------------|------------|----------|
| 46411 | 2" x 4.25" | 1.42" x 3.62" | 4, 9 to 13 | Yes | Welding | 1/1/1/2 | 1/1,667 sec. | Analog | 1.4 oz. | 2 | >5A | 1 year |



46411



AUTO DARKENING FILTERS—2" x 4.25" REPLACEMENT (DROP-INS)



Solera II Shade 10 Welding ADF

- The Solera II improves upon the highly demanded Solera product
- The ADF is a universal fit for most 2" x 4.25" welding helmets
- Compatible with HSL-1, HSL-2, and Huntsman series and many other brands of welding helmets
- Sleek, ultralight design at only 1.3 oz. will ensure maximum comfort
- Solar powered
- Comes in attractive, ready-to-use color POP counter display—10 pieces/display
- Meets or exceeds **ANSI Z87.1** and **CAN/CSA Z94.3** standards. **CE** certified

| PRODUCT NO. | Description | Case Qty. |
|--------------|---|-----------|
| 46410 | Solera II ADF Shade 3/10, 2.5" x 4.25" | 10 |
| 46910 | Solera II Internal Safety Plate, 2" x 4.25" | 100 |

| PRODUCT NO. | Filter Dimensions | Viewing Area | Shade Range | True Color | Modes | Optical Clarity | Switching Speed | Controls | Weight | No. of Sensors | TIG Rating | Warranty |
|--------------|-------------------|---------------|-------------|------------|---------|-----------------|-----------------|----------|---------|----------------|------------|----------|
| 46410 | 2" x 4.25" | 1.42" x 3.62" | 3, 10 | Yes | Welding | 1/1/1/2 | 1/1,667 sec. | N/A | 1.3 oz. | 2 | >5A | 1 year |

Ultra lightweight
1.3 oz.

True
Color



Fits majority of
2" x 4.25" helmets

46410





JACKSON
SAFETY Brand
WILSON[®]


WELDING CURTAINS & BLANKETS

 **SureWerx**[™]
Brand

jacksonsafety.com

6

ADVANTAGES OF WILSON® TRANSPARENT WELDING CURTAINS



UV Protection

Protects bystanders from UV and blue light radiation



Injury prevention

Prevents sparks and spatter from injuring bystanders while self-extinguishing properties keep the curtain from burning




Minimizes noise

Creates a sound barrier to minimize noise discomfort and the risk of hearing impairment for nearby workers




Easy installation

Curtains come grommeted, and when used with frames, are easily hung and can be rearranged





Clear division

Creates a designated space specifically for welding operations while still maintaining visibility



Reduced fumes and vapors

Creates a containment barrier that allows for more efficient fume extraction



**Custom Size
Curtains Available**

TRANSPARENT WELDING CURTAINS

- Built with grommets for easy hanging
- Durable material resists tearing
- Flame, mildew, and water resistant
- All curtains meet or exceed California Fire Marshall standards or NFPA 701 requirements for flame resistance
- Available in orange, green, and gold 14-mil transparent material

Why Choose Orange?

- Puts light back into the welding area to help increase worker productivity
- Can be used around MIG, TIG, arc, and plasma operations
- Excellent for use in assembly areas

| PRODUCT NO. | Width | Length | Weight | Thickness | Color | Amp Usage |
|--------------|-----------|-----------|--------|-----------|--------|-------------|
| 36278 | 6' (1.8m) | 10' (3m) | 13 oz. | .014" | Orange | Medium-High |
| 36292 | 6' (1.8m) | 6' (1.8m) | 13 oz. | .014" | Orange | Medium-High |
| 36307 | 6' (1.8m) | 8' (2.4m) | 13 oz. | .014" | Orange | Medium-High |
| 37606 | 6' (1.8m) | 4' (1.2m) | 13 oz. | .014" | Orange | Medium-High |

Why Choose Green?

- Decreases total light from the welding arc
- Ideal when visibility and light reduction are necessary

| PRODUCT NO. | Width | Length | Weight | Thickness | Color | Amp Usage |
|--------------|-----------|-----------|--------|-----------|-------|-------------|
| 36283 | 6' (1.8m) | 10' (3m) | 13 oz. | .014" | Green | Medium-High |
| 36299 | 6' (1.8m) | 6' (1.8m) | 13 oz. | .014" | Green | Medium-High |
| 36315 | 6' (1.8m) | 8' (2.4m) | 13 oz. | .014" | Green | Medium-High |
| 37700 | 6' (1.8m) | 4' (1.2m) | 13 oz. | .014" | Green | Medium-High |

Why Choose Gold?

- Ideal when supervision is required
- Allows better two-way viewing between welder and bystander

| PRODUCT NO. | Width | Length | Weight | Thickness | Color | Amp Usage |
|--------------|-----------|-----------|--------|-----------|-------|------------|
| 36281 | 6' (1.8m) | 10' (3m) | 13 oz. | .014" | Gold | Low-Medium |
| 36296 | 6' (1.8m) | 6' (2.4m) | 13 oz. | .014" | Gold | Low-Medium |
| 36312 | 6' (1.8m) | 8' (2.4m) | 13 oz. | .014" | Gold | Low-Medium |
| 37607 | 6' (1.8m) | 4' (1.2m) | 13 oz. | .014" | Gold | Low-Medium |


Why Choose Canvas?

- Made to withstand 500°F
- Excellent choice when zero visibility is required

| PRODUCT NO. | Width | Length | Weight | Thickness | Color | Amp Usage |
|--------------|-----------|------------|--------|-----------|-------|-----------|
| 36277 | 6' (1.8m) | 10' (3.0m) | 12 oz. | 0.14" | Green | High |
| 36289 | 6' (1.8m) | 6' (1.8m) | 13 oz. | 0.14" | Green | High |
| 36304 | 6' (1.8m) | 8' (2.4m) | 13 oz. | 0.14" | Green | High |
| 37454 | 6' (1.8m) | 4' (1.2m) | 13 oz. | 0.14" | Green | High |

| PRODUCT NO. | Description | Case Qty. |
|--------------|---|-----------|
| 36281 | Accessory hooks for hanging curtains to pipe frame configurations | 10 |





Per OSHA recommendations, allow 1' clearance at the floor for all curtain/frame combinations for ventilation

Stur-D-Screen Frames and Recommended Curtains

| FRAME ONLY | Frame Size | Orange | Gold | Green |
|--------------|-------------------------------|-------------|-------------|-------------|
| 36335 | 6' x 4' Single Panel | 37606 | 37607 | 37700 |
| 36336 | 6' x 6' Single Panel | 36292 | 36296 | 36299 |
| 36338 | 6' x 8' Single Panel | 36307 | 36312 | 36315 |
| 37198 | Adjustable 6' x 6' to 6' x 8' | 36292/36307 | 36296/36312 | 36299/36315 |
| 36333 | 6' x 10' Single Panel | 36278 | 36281 | 36283 |

All Stur-D-Screens include steel frame, brackets, hardware and lacing ties

HOW DO I CHOOSE THE RIGHT WELDING BLANKET FOR THE JOB?



With so many different materials, sizes and functions, it's very difficult to decide what type of welding blanket you might need for the job. When you are unsure of the right style for you, it's good to start with some basic questions:

What constant, intermittent, and melting temperature are you working with?

- **Constant Temperature**—The maximum temperature a blanket can withstand for the entire duration of the application. Sometimes this is referred to as “service temperature” or “working temperature.”
- **Intermittent Temperature**—The temperature the fabric can withstand for short durations without damage.
- **Melting Temperature**—The temperature where the fabric is physically damaged due to prolonged exposure.

What should I know about different fiberglass coatings?

There are many different coatings available each with its own specific properties. Listed below are some of the most common styles:

Acrylic

- Enhanced abrasion and tear resistance
- Soft to the touch

Silicone

- Resistant to oil and chemicals
- Non-slip surface
- Very flexible

Canvas


- Made to withstand 500°F
- Excellent choice when zero visibility is required

Carbon Fiber Felt

- Easy to cut and can conform to complex curves
- Lightweight and soft material

Vermiculite

- Advanced abrasion resistance
- Can be used without gloves



Which welding blankets are best for vertical and horizontal use?

Lighter duty welding blankets can be used vertically to offer protection against welding sparks and slag. If you are using a blanket horizontally or flat, it is recommended to use a heavier-duty blanket with a higher melt temperature as the spatter has the potential to rest directly on the material.



| | | Light Duty | | Medium Duty | | Heavy Duty | |
|----------------------------|--|---|--|---|--------------------------------------|---|---|
| PRODUCT SERIES | Welding Curtains | Acrylic Coated Fiberglass Blankets | Uncoated Fiberglass Blanket | Silicone Fiberglass Blankets | Vermiculite Blankets | Silica Cloth Blankets | Carbon Felt |
| Heat Resistant Temp | 150°F | 300°F | 1000°F | 500°F | 1200°F | 1800°F | 1800°F |
| Colors | Gold, Orange/Red, Green, Blue (custom only) | Red and Yellow | White | Dark Red | Black | White | Black |
| Weight | 13 oz. | 16 oz. or 23 oz. | 18 oz. or 24 oz. | 32 oz. | 24 oz. | 18 oz. | 16 oz. |
| Applications | Used in majority of welding environments to protect non-welders from UV rays | Slag resistance, spark resistance and incidental resistant to flames from cutting torches | Heat treating, low thermal conductivity, anti corrosion, and is a base material for coating, impregnating and laminating | Water resistant, oil-resistant and chemical resistant | Abrasion resistance, thermal barrier | Used for thermal and high heat requirements; can be used at 1800°F, melting pt 3000°F | Scratch resistant, flexible, used heavily in thermal insulation |
| Stress relief—up to 1700°F | | | | | | ✓ | ✓ |

NOTE: Temperatures and applications are intended as a guideline only and not a guarantee of performance. SureWerx recommends the use of welding blankets in multiple layers to attain proper molten metal and radiant heat protection. It is the user's responsibility to monitor the activity and use of blankets/high-heat materials at all times. The user must inspect the blankets before use. Abnormal wear and tear should be removed from service.



LIGHT DUTY PROTECTION

Welding Blankets Acrylic Coated Fiberglass

| PRODUCT NO. | Product Type | Width | Length | Weight (per sq yd.) | Thickness | Color |
|-------------|--------------|-------------|--------------|---------------------|-----------|--------|
| 36148 | Roll | 3' (.9m) | 150' (45.8m) | 16 oz. | 0.02" | Red |
| 36149 | Roll | 5' (1.5m) | 150' (45.8m) | 16 oz. | 0.02" | Red |
| 36150 | Roll | 6' (1.8m) | 150' (45.8m) | 23 oz. | 0.034" | Yellow |
| 36151 | Roll | 5' (1.5m) | 150' (45.8m) | 23 oz. | 0.034" | Yellow |
| 36162 | Blanket | 10' (3.0m) | 10' (3.0m) | 23 oz. | 0.034" | Yellow |
| 36163 | Blanket | 8' (2.4m) | 10' (3.0m) | 23 oz. | 0.034" | Yellow |
| 36171 | Blanket | 3.3' (1.0m) | 150' (45.8m) | 23 oz. | 0.034" | Yellow |
| 36293 | Blanket | 6' (1.8m) | 6' (1.8m) | 23 oz. | 0.034" | Yellow |
| 36308 | Blanket | 6' (1.8m) | 8' (2.4m) | 23 oz. | 0.034" | Yellow |
| 37192 | Blanket | 10' (3.0m) | 10' (3.0m) | 15 oz. | 0.02" | Gray |
| 37609 | Blanket | 8' (2.4m) | 8' (2.4m) | 23 oz. | 0.034" | Yellow |
| Custom | Custom | Custom | Custom | 23 oz. | 0.034" | Yellow |

JACKSON
WILSON

Excellent abrasion and tear resistance

Grommets allow easy hanging in vertical applications



300°F working temperature

Provides protection from most welding sparks, spatter, and slag

Welding Blankets Uncoated Fiberglass

| PRODUCT NO. | Product Type | Width | Length | Weight (per sq yd.) | Thickness | Color |
|-------------|--------------|-------------|--------------|---------------------|-----------|-------|
| 36144 | Roll | 3.3' (1.0m) | 150' (45.8m) | 18 oz. | 0.028" | White |
| 36145 | Roll | 5' (1.5m) | 150' (45.8m) | 18 oz. | 0.028" | White |
| 36146 | Roll | 5' (1.5m) | 150' (45.8m) | 24 oz. | 0.028" | White |
| 36147 | Roll | 3.3' (1.0m) | 150' (45.8m) | 24 oz. | 0.028" | White |
| 36159 | Blanket | 6' (1.8m) | 8' (2.4m) | 24 oz. | 0.028" | White |
| 36160 | Blanket | 6' (1.8m) | 6' (1.8m) | 24 oz. | 0.028" | White |
| 36161 | Blanket | 8' (2.4m) | 10' (3m) | 18 oz. | 0.028" | White |
| 36167 | Blanket | 10' (3.0m) | 10' (3m) | 18 oz. | 0.028" | White |
| 36290 | Blanket | 6' (1.8m) | 6' (1.8m) | 18 oz. | 0.028" | White |
| 36305 | Blanket | 6' (1.8m) | 8' (2.4m) | 18 oz. | 0.028" | White |
| 36364 | Blanket | 8' (2.4m) | 8' (2.4m) | 18 oz. | 0.028" | White |
| Custom | Custom | Custom | Custom | 18 oz. | 0.028" | White |

Low irritating yarns prevents itch

Grommets allow easy hanging in vertical applications



1000°F working temperature

Ideal for welding, insulation, and jacketing applications

All high-temp fabrics are certified to meet ANSI/FM-4950

*Custom Size
Blankets Available*

MEDIUM DUTY PROTECTION

Welding Blankets Silicone Coated Fiberglass



| PRODUCT NO. | Product Type | Width | Length | Weight (per sq yd.) | Thickness | Color |
|---------------|--------------|-------------|--------------|---------------------|-----------|-------|
| 36173 | Roll | 3.3' (1.0m) | 150' (45.8m) | 32 oz. | 0.04" | Red |
| 36174 | Roll | 5' (1.5m) | 150' (45.8m) | 32 oz. | 0.04" | Red |
| 36155 | Blanket | 6' (1.8m) | 8' (2.4m) | 32 oz. | 0.04" | Red |
| 36156 | Blanket | 6' (1.8m) | 6' (1.8m) | 32 oz. | 0.04" | Red |
| 37592 | Blanket | 10' (3.0m) | 10' (3m) | 32 oz. | 0.04" | Red |
| Custom | Custom | Custom | Custom | 32 oz. | 0.04" | Red |

Welding Blankets Vermiculite




| PRODUCT NO. | Product Type | Width | Length | Weight (per sq yd.) | Thickness | Color |
|---------------|--------------|-------------|--------------|---------------------|-----------|-------|
| 36152 | Roll | 6' (1.8m) | 150' (45.8m) | 24 oz. | 0.03" | Black |
| 36153 | Roll | 5' (1.5m) | 150' (45.8m) | 24 oz. | 0.03" | Black |
| 36154 | Roll | 3.3' (1.0m) | 150' (45.8m) | 24 oz. | 0.03" | Black |
| 36157 | Blanket | 8' (2.4m) | 8' (2.4m) | 24 oz. | 0.03" | Black |
| 36164 | Blanket | 10' (3.0m) | 10' (3m) | 24 oz. | 0.03" | Black |
| 36166 | Blanket | 8' (2.4m) | 10' (3m) | 24 oz. | 0.03" | Black |
| 36302 | Blanket | 6' (1.8m) | 6' (1.8m) | 24 oz. | 0.03" | Black |
| 36318 | Blanket | 6' (1.8m) | 8' (2.4m) | 24 oz. | 0.03" | Black |
| Custom | Custom | Custom | Custom | 24 oz. | 0.03" | Black |

HEAVY-DUTY PROTECTION



Welding Blankets Silica Cloth



| PRODUCT NO. | Product Type | Width | Length | Weight (per sq yd.) | Thickness | Color |
|---------------|--------------|-----------|--------------|---------------------|-----------|-------|
| 36165 | Roll | 3' (.9m) | 150' (45.8m) | 18 oz. | 0.04" | Tan |
| 36291 | Blanket | 6' (1.8m) | 6' (1.8m) | 18 oz. | 0.04" | Tan |
| 36306 | Blanket | 6' (1.8m) | 8' (2.4m) | 18 oz. | 0.04" | Tan |
| Custom | Custom | Custom | Custom | 18 oz. | 0.04" | Tan |

Welding Blankets Carbon Fiber Felt



| PRODUCT NO. | Product Type | Width | Length | Weight (per sq yd.) | Thickness | Color |
|---------------|--------------|-----------|--------------|---------------------|-----------|-------|
| 36158 | Roll | 5' (1.5m) | 75' (22.9m) | 16 oz. | 0.125" | Black |
| 36208 | Roll | 6' (1.8m) | 150' (45.8m) | 16 oz. | 0.125" | Black |
| 36313 | Blanket | 6' (1.8m) | 8' (2.4m) | 16 oz. | 0.125" | Black |
| 36320 | Blanket | 6' (1.8m) | 6' (1.8m) | 16 oz. | 0.125" | Black |
| Custom | Custom | Custom | Custom | 16 oz. | 0.125" | Black |



WELDING ACCESSORIES

Double Layer Hand Pad

- Increases the life of your glove
- Allows longer welding time even in high heat applications
- Does not limit mobility
- Sewn and riveted for added durability
- Double layer protection

| PRODUCT NO. | Description |
|-------------|-------------|
|-------------|-------------|

| | |
|-------|-----------------------|
| 36680 | Double Layer Hand Pad |
|-------|-----------------------|



CUSTOMIZATION PROGRAM



Wilson is pleased to offer a custom solutions program to fit your specific size and protection needs. We can work with an existing design or be involved in the entire process from start to finish. Each custom order is manufactured to your exact specifications and carefully inspected to ensure the highest quality.

- Orders processed within 24 hours
- Orders shipped within 5 business days
- Competitively priced no matter how complex the job
- Custom grommet placement available or choose without grommets
- Special fabrication program available on transparent welding curtains and blankets

To learn more about what welding curtain or blanket is best for you, contact us today at 800.323.7402. Special made-to-order curtains and blankets are our specialty!



Our Family of U.S. Brands



800.323.7402
orders.usa@surewerx.com
jacksonsafety.com

JACKSONNPC21

Be Smart. Be Safe. Be Sure.