

MORE COMFORT & SAFETY FOR WELDERS



# PREMIUM EUROPEAN LEATHER



The leather selection comes from one of the most important tanning centers in the world. Our partners are the experts in recognizing the origin of the leather, strength of the fibers and quality. Each production process, beginning with purchasing raw materials and ending with sewing, is fully controlled and validated.

These high quality leathers are required to produce the most prestigious products in the sector.

#### **DESIGNED FOR WELDERS BY WELDERS**

Our gloves and clothes were studied and tested by a team of professional welders to better understand the Customer needs. Thanks to proper research and including professionals at development stage, we were able to provide products with lightness, softness, ergonomics and durability incomparable in the market.

#### THE STITCHING

The thread used for the stitching is very important, we use a high tenacity thread. By norm ISO 13938-1 the strength stitching must be > 110 Newton, our bursting strength of stitching is 608 Newton.

#### **ECO FRIENDLY LABEL**

Lincoln Electric company follows a moral obligation to maintain focus on eco-friendly solutions. Our leather products are manufactured using 80% less water than traditional leather treatment, additionally all leather scraps are collected by a certified company in Italy (ILSA S.p.A.), which reuses the scraps and transform them into organic fertilizer.


# DO YOU OFFER YOUR WELDERS THE BEST POSSIBLE PROTECTION?





Weldline by Lincoln Electric, more comfort and safety for welders.

Discover our offer of quality products at www.weldline.eu




# YOUR SAFETY IN PREMIUM QUALITY GLOVES AT A FAIR PRICE

Our gloves are made with leather that have passed specific tests, for thermal and electrical risks. They are considered heat resistance. You can hold a 100-degree hot piece in your hand for 15 seconds.

The Personal Protection Equipment protects against risks deriving from operations involving welding operations and related procedures, (CLASS 2) suitable for manual welding techniques with strong formation of splashes and drops such as: MMA welding (with base electrode or cellulose coated), welding MAG (mixed CO2 or gas), MIG (high current) welding, cored wire welding, plasma cutting, gouging, oxygen cutting, thermal spray painting, and for the operation of machines, for example in limited spaces for welding and cutting in overhead or similar position, in forced positions.

#### **European standard marking gloves:**



An index of **x** indicates that the glove has not been tested for this type of risk.

### MIG UNIVERSAL COMFORT





The UNIVERSAL COMFORT gloves are designed to protect the hand during normal welding applications in MMA/MIG/MAG/TIG processes and have a grain leather palm for extra sensitivity.

#### **Glove properties**

Heat resistance

Abrasion resistance



Dexterity

Molten metal splashes



Usage recommendation:

MIG-MAG / MMA

**European Standard** of gloves

UNI EN 420: 2013+A1:2009 UNI EN 388: 2016 UNI EN 407: 2004 UNI EN 12477: 2001+A1:2005

### MIG UNIVERSAL COMFORT +

Size 10 WG-MIG-2-CE



The UNIVERSAL COMFORT + gloves are designed to protect the hand during normal welding applications in MMA/MIG/MAG processes.

#### **Glove properties**

Heat resistance







Dexterity

Molten metal splashes



#### Usage

#### recommendation:

MIG-MAG / MMA

#### **European Standard of gloves**

UNI EN 420: 2013+A1:2009 UNI EN 388: 2016 UNI EN 407: 2004 UNI EN 12477: 2001+A1:2005

### MIG IRON PROTECT





The MIG IRON PROTECT gloves are designed for a high level of protection of the hands during normal welding applications in MMA/MIG/MAG processes.

#### **Glove properties**

Heat resistance



Abrasion resistance



Dexterity



Molten metal splashes



#### Usage

#### recommendation:

MIG-MAG / MMA

#### **European Standard of gloves**

EN 420: 2009 3 EN 388: 2016 4 2 3 4 x x EN 407: 2004 4 1 3 2 4 x EN 12477: 2001 + A1 2005

### **MIG IRON PROTECT +**

Size 10 WG-MIG-4-CE

Index no



The MIG IRON PROTECT+ gloves are designed to protect for high level of protection of the hands during normal welding applications in MMA/MIG/MAG processes. The natural grain leather palm gives extra sensitivity.

#### Glove properties

Heat resistance



\*\*\*\*



Dexterity



Molten metal splashes



#### Usage

#### recommendation:

MIG-MAG / MMA

#### **European Standard of gloves**

UNI EN 420: 2013+A1:2009 UNI EN 388: 2016 UNI EN 407: 2004 UNI EN 12477: 2001+A1:2005



The TIG FI FX SENSITIVE playes are designed

THE TIGHTEEN SENSITIVE SHOVES WE WESIGHED
to give a high level of dexterity and flexibility
for normal welding applications in TIG/Flame
processes. The favorite gloves of TIG welders.
Goat leather

#### **Glove properties**

Heat resistance





Abrasion resistance



Dexterity

Molten metal splashes



#### Index no Size 8 WG-TIG-8-CE WG-TIG-9-CE Size 9 WG-TIG-10-CE Size 10 WG-TIG-11-CE Size 11

#### Usage recommendation:

TIG

#### **European Standard** of gloves

**UNI EN 420:** 2013+A1:2009 **UNI EN 388:** 2016 **UNI EN 407:** 2004 **UNI EN 12477:** 2001+A1:2005

### OPCALOR ALU



Index no W000010420 Size 10

The STOPCALOR ALU gloves are designed for a high level of protection of hands during heavy welding applications.

**COMFORT:** the Split leather and the cotton fl eece lining which increases the glove's thermal insulation. **RESISTANCE:** the aluminised Kevlar® textile back off ers strong resistance to heat, radiation and small splashes of molten metal. SAFETY: the split leather cuff helps to protect a large part of the forearm against mechanical hazards.

#### **Glove properties**

Heat resistance



Abrasion resistance



Dexterity



Molten metal splashes



#### Usage recommendation:

MIG-MAG / MMA

#### **European Standard** of gloves

**EN 420:** 2003 5 **EN 388:** 2003 3143 x x **EN 407:** 2004 41344 x **EN 12477:** 2000 typeA

### ACCESSORIES: THERMAL SCREEN

Index no

W000335162


EN 532



#### MIG/MAG and MMA welding processes. Thermal protection added to a glove.

• Dimensions 200 x 150 mm.

- Fitted with two elastic straps at palm and cuff level.
- Split leather lined with Kevlar. Heat and flame resistant.
- One aluminized side reflects 95% of radiant heat.
- Double Kevlar thread seams.
- Delivered by 2 pieces.



### YOUR SAFETY IN THE WELD'fit COMFORT!

WELD'fit products, heat and flame resistant, provide the higher protection for the welders.

#### Standard:

Rules (EU) 2016/425 European Regulation on Personal Protective Equipment

UNI EN ISO 13688:2013: [general requirements for innocuousness, ergonomics and sizes],
UNI EN ISO 11611:2015: [use in welding operations and related procedures]

Products are manufactured according to the Rules (EU) 2016/42

#### **Composition:**

- Jacket: split leather, grain leather
- Apron, Sleeves and Gaiters: split leather, grain leather

#### Use:

Jackets, Apron, Sleeves and gaiters are clothes for welders in Class 2 suitable for use during manual welding techniques in which major drops and splatters are formed, such as, for example: MMA welding (with basic electrode or covered with cellulose), MAG welding (CO2 or mixed gases), MIG welding (with high current), welding with flux cored wire, plasma cutting, trimming, oxygen cutting, thermal spray painting, and operation of machinery, for example, in tight spaces, welding and cutting in overhead or similar positions, or in narrow spaces.

The garment protects accidental contact with small flames, splattered molten metal, radiating heat and brief accidental electrical contact. Not meant for any other type of protection than the use described above. The manufacturer will not be held responsible for any damage that could occur from such practices.

### **GAITERS**



Gaiters in split leather fastened with straps or with leather band. Gaiters are used to protect the bottom of the trousers and shoes from sparks and heat generated during welding and grinding operations. Width 30cm.

#### **Technical description**

• The gaiters are manufactured in four pieces that are stitched together, completed with adjustable leather belt or velcro strap and under-strap to secure the shoes.

GAITERS with STRAPS W000404081

GAITERS with VELCRO W000404082

PPE II° category Certified by EU 425/2016 EN 11611 A1 Class 2

### SHORT AND LONG SLEEVES

The short and long sleeves in split leather are intended to protect arms from fine welding spatters.



Cover sleeves width 40 cm, ergonomic, elastic at the end.

Cover sleeves width 60 cm, ergonomic, elastic at the wrist and leather laces on the shoulders, fastening with rapid connection.

#### **Technical description**

- Fixed with leather straps.
- Tightening elastic to the wrists.
- Single size.

PPE II° category Certified by EU 425/2016 EN 11611 A1 Class 2





# GRAIN LEATHER APRON

This apron is designed to protect clothes from welding spatters and grinding particles.

#### **Technical description**

- Leather strap fixed through bound eyelets to the waist and flap.
- Single size.
- With leather laces, fastening with rapid connection, measures 1100x800 mm.

GRAIN APRON 1100x800

W000404085

SPLIT LEATHER APRON

This apron is designed to protect clothes from welding spatters and grinding particles.

**Split leather apron** with leather laces, fastening with rapid connection, measures 1100x800 mm.

SPLIT APRON 1100x800

W000404086

**Split leather apron** fastening with rapid connection, measures 900x600 mm.

SPLIT APRON 900x600 Leather laces

W000404087

**Split leather apron** with eyelets and fabric laces, measures 900x600 mm.

SPLIT APRON 900x600 Fabric laces

W000404088

#### **Technical description**

- Leather or cotton strap with quick release clips to the waist and flap.
- Single size.
- Sewn finish with red fabric border



## SPLIT LEATHER WELDING JACKET

**Split leather jacket**, comfortable, fastened with snap buttons covered by leather, pocket inside, elastic at the wrist.

Welding jacket in split leather are designed to protect the upper body of the user from fine welding spatters and grinding particles.

#### **Technical description**

 The jacket fastens in the front with an overlap of leather and Velcro for additional protection against spatters, the inner neck is made of double cotton for comfort.

- Tightening elastic to the wrists.
- Finished in red trim.
- Length: +/- 780 mm.
- Available sizes: L, XL and XXL.

SPLIT LEATHER
WELD JACKET
Size L

W000404090-L

SPLIT LEATHER
WELD JACKET
Size XL

W000404090

SPLIT LEATHER
WELD JACKET
Size XXL

W000404091


PPE II° category Certified by EU 425/2016 EN 11611 A1 Class 2



Customize your welding jacket thanks to the removable velcro band

## GRAIN LEATHER WELDING JACKET





## PANTER - FUSION 49 S3

### YOUR SAFETY IN STURDY, **COMFORTABLE AND** STYLISH WELDING SHOES

Safety boots with special cuff for welding protection. Produced from extra thick full grain leather, breathable and fireproof. Protects against high temperatures, additionally extraordinary strength and durability.

- > Protective footwear against thermal risks and splashes of molten metal. Resistant to flames and sewn with flame retardant yarn.
- Non-metallic anti impact toe cap and flexible puncture proof midsole.
- > Special nitrile rubber sole resistant to high temperatures (300 °C). Effective insulation from cold and extreme heat. Adherent to all kinds of surfaces, it provides traction and stability. Resistant to oils and hydrocarbons.
- > Antistatic boot.
- > Wide frame that does not imprison the foot.
- > Removable and interchangeable antibacterial, antistatic and anti-fungus insoles.
- > Very breathable wear resistant lining.
- > Anti-scratch custom fit ankle support padding.
- > Reinforced toe that protects the area most exposed to bumps and chafing, guaranteeing a longer shoe life.

> Double closure for better fit and protection against metal sparks. Contact closures with high performance industrial

fabric and inner laces with leather bellows tongue that prevents the entry of foreign objects.

#### Level of protection

#### S3+WG+Hi1+Ci+HRO+AN







#### Standard

**EN ISO 20345 EN ISO 20349** 

PANTER FUSION 49 S3					
Size 36	W49S3T36	Size 43	W49S3T43		
Size 37	W49S3T37	Size 44	W49S3T44		
Size 38	W49S3T38	Size 45	W49S3T45		
Size 39	W49S3T39	Size 46	W49S3T46		
Size 40	W49S3T40	Size 47	W49S3T47		
Size 41	W49S3T41	Size 48	W49S3T48		
Size 42	W49S3T42				

• Impact resistant to over 200 joules

200 J Plastic

• Extra wide Very light

• Elastic memory

Certification

Eletrically insulating

Maximum EN ISO 20345

Sizes

From 36 to 48

#### Natural full grain leather combining Maximum Hydrofugation and Flameproof Treatment

- Thick and resistant to tear
- Seams made with flame retardant wire
- Resistant to flame and splashes of molten metal
- Design, yarns, fiber and engeenering complying with EN ISO 20349





Outsole

#### PU + High Temperature (300 °C) Nitrile rubber

- Resistance to heat contact up to 300 °C
- Resistant to oils and hydrocarbons
- Resistant to abrasion effective cold and extreme hot insulation
- Electrically insulating
- Special anti-slip design and system of energy absorption in the heel





- Antifungal
- Antistatic Antibacterial

### Extraordinary flexible and light

 Self molded to the natural shape of the foot without rigidity

**Puncture Proof Non-Metallic** 

- Comfort and protection
- Zero Penetration
- Super Flexible and light
- Maximum EN ISO 20345 Certification





# TIG FLEX SENSITIVE FEMALE



The TIG FLEX SENSITIVE FEMALE gloves are designed to ensure the high level of dexterity and flexibility for regular welding applications in TIG/Flame processes. Made of goat leather, they are the favorite gloves of female TIG welders.

# Index no Size 8 WG-TIG-8-CE-L Size 9 WG-TIG-9-CE-L

#### **Glove properties**

Heat resistance









Molten metal splashes



## European standard

Recommended

use:

TIG

of gloves:

UNI EN 420: 2013+A1:2009 UNI EN 388: 2016 UNI EN 407: 2004 UNI EN 12477: 2001+A1:2005

# MIG UNIVERSAL COMFORT FEMALE



The UNIVERSAL COMFORT FEMALE gloves are designed to protect hands during regular welding applications in MMA/MIG/MAG/TIG processes and have grain leather palms for extra sensitivity.

				- •
GIN	/P	nrn	ner	ties

Heat resistance

★★☆☆☆



Abrasion resistance

Molten metal splashes

\*\*\*\*

Index no			
Size 8	WG-MIG-1-CE-T8-L		
Size 9	WG-MIG-1-CE-T9-L		

### Recommended use:

MIG-MAG / MMA

## European standard of gloves:

UNI EN 420: 2013+A1:2009 UNI EN 388: 2016 UNI EN 407: 2004 UNI EN 12477: 2001+A1:2005

# GRAIN LEATHER WELDING JACKET FEMALE

Fastened with snap buttons covered by leather, grain leather jackets for HER are adjustable and comfortable. These welding jackets are designed to protect the upper body.

#### **Technical description**

- 100% leather
- The jacket overlaps in the front offering additional protection against spatters. The inner neck coating consists of two layers of cotton for extra comfort
- Finished in pink trim
- Length: +/- 780 mm
- Available sizes: S, M, L, XL
- Included: 1 split leather bag



Index no			
Size S	WJL-S-2019		
Size M	WJL-M-2019		
Size L	WJL-L-2019		
Size XL	WJL-XL-2019		

PPE II° category Certified by EU 425/2016 EN 11611 A1 Class 2





### **SMART:**

Use the bag provided with the jacket to create your personalized package.



# EUROSPEED LS EDITION FEMALE

All the comfort and security of liquid crystal technology in a protective and comfortable welding helmet.

Robust, comfortable design

- Internal grinding mode
- Soft, comfortable sweat band

#### **Technical descrption**

- Optical class: 1/1/1/2
- Lens switching: 0,04ms
- Lens shade: 3.5/9-13
- Two independent sensors
- TIG Amp rating: ≥ 5A DC & ≤ 5A AC
- Viewing area: 4 312 mm<sup>2</sup>

#### **Delivered with:**

2 outside protection plates, 1 inside protection plate, 1 sweat band and 1 comfort cushion on the headgear



**FLEXSPEED LS** 





For welding process:

MMA, MIG MAG, TIG



Index no

W000403824-2

#### HIGH QUALITY AUTODARKENING HELMETS


#### NEW LIGHT SHADE TECHNOLOGY - NATURAL VISION

- Natural vision for more comfort for the welders
- Better color perception for more safety
- A larger color panel for clearer vision of the bead and of the environment from shade 3 to 13

#### **NEW LIGHT SHADE WELDING FILTER**

The New Welding Filter offers better protection against harmful rays while ensuring higher penetration ratio allowing the welder to recognise brighter objects. In addition, the recognisable colors are enhanced and more natural than traditional yellow/green. This, in turn, improves efficiency and reduces fatigue.

The lens improved as natural color can make the user recognize the object with ungarbled color so it can reduce feeling of fatigue and improve operation efficiency.



# WL-W3-20EN-P64C

#### **BEING PRESENT LOCALLY**

#### MAKES US MORE AWARE GLOBALLY



#### **CUSTOMER ASSISTANCE POLICY**

The business of The Lincoln Electric Company® is manufacturing and selling high quality welding equipment, consumables, and cutting equipment. Our challenge is to meet the needs of our customers and to exceed their expectations. On occasion, purchasers may ask Lincoln Electric for information or advice about their use of our products. Our employees respond to inquiries to the best of their ability based on information provided to them by the customers and the knowledge they may have concerning the application. Our employees, however, are not in a position to verify the information provided or to evaluate the engineering requirements for the particular weldment. Accordingly, Lincoln Electric does not warrant or guarantee or assume any liability with respect to such information or advice. Moreover, the provision of such information or advice does not create, expand, or alter any warranty on our products. Any express or implied warranty that might arise from the information or advice, including any implied warranty of merchantability or any warranty of fitness for any customers' particular purpose is specifically disclaimed.

Lincoln Electric is a responsive manufacturer, but the selection and use of specific products sold by Lincoln Electric is solely within the control of, and remains the sole responsibility of the customer. Many variables beyond the control of Lincoln Electric affect the results obtained in applying these types of fabrication methods and service requirements.

Subject to Change – This information is accurate to the best of our knowledge at the time of printing. Please refer to www.lincolnelectric.eu for any updated information.



